

4-IN-1 AHD CAMERAS

4-in-1 Analogue Bullet Camera

DIGIEYE CAM SY-A7B5Z-WR4

- Key features:
 - AHD/CVI/TVI/PAL
 - Resolution 2MP
 - Day and Night
 - WDR-120 dB
 - AI-DNR
 - Varifocal 2.8-12 mm
 - IR Array with 40 metres range
 - UTC protocol
 - Selectable AHD/TVI/CVI/PAL video output



Accessories	
	B116 Juntion plastico
	B320 Juntion metallo
	PB14146 Juntion plastico
	B200 Deep base

4-in-1 Analogue Mini Dome Camera

DIGIEYE CAM SY-A7D5Z-WR2

- Key features:
 - AHD/CVI/TVI/PAL
 - Resolution 2MP
 - Day and Night
 - WDR-120 dB
 - AI-DNR
 - Varifocal 2.8-12 mm
 - IR Array with 20 metres range
 - UTC protocol
 - Video output AHD/TVI/CVI/PAL selectable



BULLET IP CAMERAS

Pro IP Camera

DIGIEYE CAM SY-N8B5F-WR25

- Key features:
 - Pro IP Bullet
 - Resolution 5MP
 - 1/2.8" SONY Starvis Back-illuminated CMOS Sensor
 - H.265+/H.265/H.264+/H.264 Compression Method
 - 3.6mm Fixed Lens
 - IR Distance 25M Max
 - With Internal POE



Accessories	
	B310 Juntion metallo
	PB14146 Juntion plastico

Pro IP Camera

DIGIEYE CAM SY-N8B5Z-WR4

- Key features:
 - Pro IP Bullet
 - Resolution 5MP
 - 1/2.8" SONY Starvis Back-illuminated CMOS sensor
 - H.265+/H.265/H.264+/H.264 Compression Method
 - 2.7-13.5mm Motorized Lens
 - IR Distance 40M Max.
 - With Internal POE



Accessories	
	B320 Juntion metallo

Pro IP Camera

DIGIEYE CAM SY-N8B8Z-WR6

- Key features:
 - Pro IP Bullet
 - Resolution 8MP
 - 1/2.8" SONY Starvis Back-illuminated CMOS sensor
 - H.265+/H.265/H.264+/H.264 Compression Method
 - 2.7-13.5mm Motorized Lens
 - IR Distance 60M Max.
 - With Internal POE



Accessories	
	B116 Juntion plastico
	B265 Staffa parete
	PB14146 Juntion plastico
	B320 Juntion metallo

DOME IP CAMERAS

Pro IP Camera

DIGIEYE CAM SY-N8D5F-WR25

- Key features:
 - Pro IP Dome
 - Resolution 5MP
 - 1/2.8" SONY Starvis Back-illuminated CMOS Sensor
 - H.265+/H.265/H.264+/H.264 Compression Method
 - 3.6mm Fixed Lens
 - IR Distance 25M Max.
 - With Internal POE



Accessories	
	PC116 Deep base
	B173-01 Staffa parete
	B320 Juntion metallo

Pro IP Camera

DIGIEYE CAM SY-N8D5Z-WR4V

- Key features:
 - Pro IP Dome
 - Resolution 5MP
 - 1/2.8" SONY Starvis Back-illuminated CMOS Sensor
 - H.265+/H.265/H.264+/H.264 Compression Method
 - 2.7-13.5mm Motorized Lens
 - IR Distance 40M Max.
 - With Internal POE



Accessories	
	B280 Staffa da parete + Juntion
	B300A Staffa da soffitto

SPECIAL IP CAMERAS

PTZ 18X 2MP Camera

DIGIEYE CAM SY-N8P2Z-WR120-X18

• Key features:

- Sensor 1/2.9" Progressive Scan CMOS.
- Max resolution 1920x1080 25/30 fps.
- True Day/Night with ICR Filter.
- Digital WDR function for increased dynamic range.
- Integrated IR illuminators with maximum illumination distance of 120 metres.
- WDR , 3D DNR, ICR, HLC, BLC, Defog.
- 18X optical zoom.
- IP66 certified.
- Smart Analytics: 3D Human Tracking / Motion Detection / Intrusion Detection.
- PoE (a richiesta)



Accessories	
	P01 Staffa a Soffitto
	B790 Collare da Palo

PTZ 18X 5MP Camera

DIGIEYE CAM SY-N8P5Z-WR120-X18

• Key features:

- Sensor 1/2.8" Progressive Scan CMOS.
- Max resolution 1920x1080 25/30 fps.
- True Day/Night with ICR Filter.
- Digital WDR function for increased dynamic range.
- Integrated IR illuminators with maximum illumination distance of 120 metres.
- WDR, 3D DNR, ICR, HLC, BLC, Defog.
- 18X optical zoom.
- IP66 certified.
- Smart Analytics: 3D Human Tracking / Motion Detection / Intrusion Detection.
- PoE (a richiesta)



Accessories	
	P01 Staffa a Soffitto
	B790 Collare da Palo

ACTIVE Deterrence IP Camera

DIGIEYE CAM SY-N8B5F-R40

• Key features:

- Resolution 5Mp HD Pro IP Bullet
- 1/2.8" SONY Starvis Back-illuminated CMOS sensor
- 2.7-13.5mm Motorized Lens
- IR Distance 40M Max.
- Smart Analytics: vehicle detection, intrusion/line crossing/ wandering/peoppe gathering detection (based on human shape detection)

